

NOVARTIS AG
Form 6-K
July 22, 2011

SECURITIES AND EXCHANGE COMMISSION

Washington, D.C. 20549

FORM 6-K

**REPORT OF FOREIGN PRIVATE ISSUER
PURSUANT TO RULE 13a-16 or 15d-16 OF
THE SECURITIES EXCHANGE ACT OF 1934**

Report on Form 6-K dated July 22, 2011

(Commission File No. 1-15024)

Novartis AG

(Name of Registrant)

Lichtstrasse 35

4056 Basel

Switzerland

(Address of Principal Executive Offices)

Edgar Filing: NOVARTIS AG - Form 6-K

Indicate by check mark whether the registrant files or will file annual reports under cover of Form 20-F or Form 40-F:

Form 20-F: **Form 40-F:**

Indicate by check mark if the registrant is submitting the Form 6-K in paper as permitted by Regulation S-T Rule 101(b)(1):

Yes: No:

Indicate by check mark if the registrant is submitting the Form 6-K in paper as permitted by Regulation S-T Rule 101(b)(7):

Yes: No:

Indicate by check mark whether the registrant by furnishing the information contained in this form is also thereby furnishing the information to the Commission pursuant to Rule 12g3-2(b) under the Securities Exchange Act of 1934.

Yes: No:

Novartis International AG
Novartis Global Communications
CH-4002 Basel
Switzerland
<http://www.novartis.com>

- Investor Relations Release -

Novartis drug Afinitor® recommended by CHMP for EU approval to treat patients with advanced pancreatic neuroendocrine tumors

- *Phase III trial showed everolimus significantly delayed tumor growth in patients with advanced neuroendocrine tumors (NET) of pancreatic origin(1)*
- *Everolimus represents a potentially new targeted approach for the treatment of patients with advanced pancreatic NET, for which there are limited options(1),(2),(3)*
- *Recommendation follows approval of Afinitor in the US in this setting; additional regulatory submissions for everolimus in advanced NET are under way worldwide*

Basel, July 22, 2011 Novartis announced today that the Committee for Medicinal Products for Human Use (CHMP) of the European Medicines Agency (EMA) adopted a positive opinion for Afinitor® (everolimus) tablets for the treatment of unresectable or metastatic, well- or moderately-differentiated neuroendocrine tumors (NET) of pancreatic origin in adults with progressive disease. If approved, everolimus will be the first mTOR inhibitor available for these patients.

This positive recommendation is an important milestone for patients in the European Union with advanced pancreatic NET who have a difficult to treat cancer and limited treatment options, said Hervé Hoppenot, President, Novartis Oncology. We are encouraged that this positive opinion may lead to an approval that will allow us to provide these patients a new targeted treatment approach.

The recommendation was based on Phase III data from the RADIANT-3 (RAD001 In Advanced Neuroendocrine Tumors) trial showing treatment with everolimus more than doubled the time without tumor growth (median 4.6 to 11.0 months) and reduced the risk of cancer progression by 65% when compared with placebo in patients with advanced pancreatic NET (hazard ratio=0.35 [95% confidence interval (CI), 0.27 to 0.45]; p<0.001). A consistent improvement in progression-free survival was seen with everolimus in all patient subgroups, including those who had not received prior chemotherapy(1).

Everolimus targets mTOR, a protein that acts as an important regulator of tumor cell division, blood vessel growth and cell metabolism(4). Preclinical and clinical data have established the role of mTOR in the development and progression of advanced pancreatic NET(1),(4).

The European Commission generally follows the recommendations of the CHMP and delivers its final decision within three months of the CHMP recommendation. The decision will be applicable to all 27 EU member states plus Iceland and Norway.

About neuroendocrine tumors of pancreatic origin (pancreatic NET)

Neuroendocrine tumors arise from cells that can produce and secrete a variety of hormones that regulate bodily functions(5). These tumors can occur anywhere in the body; however, most are

found in the pancreas (pancreatic NET), gastrointestinal tract or lungs (carcinoid tumors)(6),(7). Pancreatic NET, also known as islet cell tumors, is a rare type of cancer different from pancreatic exocrine cancer, which is generally referred to as pancreatic cancer(3),(8).

Approximately 60% of pancreatic NET patients are diagnosed with advanced disease(2). This means that the cancer has already spread to other parts of the body, and is considered aggressive and difficult to treat(3). The five-year survival rate for these patients is 27%(6).

About RADIANT-3

RADIANT-3 is a Phase III prospective, double-blind, randomized, parallel group, placebo-controlled, multicenter study. The trial examined the efficacy and safety of everolimus plus best supportive care (BSC) versus placebo plus BSC in 410 patients with advanced, low- or intermediate-grade pancreatic NET. Patients who met the study entry criteria were randomized 1:1 to receive either everolimus 10 mg once-daily (n=207) or daily placebo (n=203) orally, both in conjunction with BSC. The primary endpoint is progression-free survival(1).

In the study, everolimus maintained a safety profile consistent with the prescribing information and previous studies of the drug. The most frequent all grade, drug-related adverse events ($\geq 20\%$) were stomatitis/oral mucositis/ulcers (64% everolimus vs. 17% placebo; includes stomatitis, aphthous stomatitis, mouth ulceration and tongue ulceration), rash (49% vs. 10%), diarrhea (34% vs. 10%), fatigue (31% vs. 14%), infections (23% vs. 6%), nausea (20% vs. 18%), peripheral edema (20% vs. 3%) and decreased appetite (20% vs. 7%); most were grade one or two. Grade three and four adverse events ($\geq 5\%$) include stomatitis/oral mucositis/ulcers (7% vs. 0%; includes stomatitis, aphthous stomatitis, mouth ulceration and tongue ulceration), anemia (6% vs. 0%) and hyperglycemia (5% vs. 2%). Median exposure to everolimus was 2.3-fold longer than exposure to placebo (38 weeks vs. 16 weeks)(1).

About Afinitor (everolimus)

Afinitor® (everolimus) tablets is approved in the US for the treatment of progressive neuroendocrine tumors of pancreatic origin in patients with unresectable, locally advanced or metastatic disease. The US Food and Drug Administration determined that the safety and effectiveness of Afinitor in the treatment of patients with carcinoid tumors have not been established.

In the European Union (EU), Afinitor is approved for the treatment of patients with advanced renal cell carcinoma whose disease has progressed on or after treatment with vascular endothelial growth factor (VEGF)-targeted therapy.

In the EU, everolimus is available in different dosage strengths for the non-oncology patient population under the trade name Certican® for the prevention of organ rejection in heart and kidney transplant recipients.

Everolimus is exclusively licensed to Abbott and sublicensed to Boston Scientific for use in drug-eluting stents.

Not all indications are available in every country. Access to everolimus outside of the approved indications has been carefully controlled and monitored in clinical trials designed to better understand the potential benefits and risks of the compound. As an investigational compound the safety and efficacy profile of everolimus has not yet been established outside the approved indications. Because of the uncertainty of clinical trials, there is no guarantee that everolimus will become commercially available for additional indications.

Important Safety Information about Afinitor (everolimus) tablets

Afinitor can cause serious side effects including lung or breathing problems, infections, and renal failure which can lead to death. Mouth ulcers and mouth sores are common side effects. Afinitor

can affect blood cell counts, kidney and liver function, and blood sugar and cholesterol levels. Afinitor may cause fetal harm in pregnant women. Women taking Afinitor should not breast feed.

The most common adverse drug reactions (incidence $\geq 15\%$) are mouth ulcers, diarrhea, feeling weak or tired, skin problems (such as rash or acne), infections, nausea, swelling of extremities or other parts of the body, loss of appetite, headache, inflammation of lung tissue, abnormal taste, nose bleeds, inflammation of the lining of the digestive system, weight decreased and vomiting. The most common Grade 3-4 adverse drug reactions (incidence $\geq 2\%$) are mouth ulcers, feeling tired, low white blood cells (a type of blood cell that fights infection), diarrhea, infections, inflammation of lung tissue, and diabetes. Cases of hepatitis B reactivation and blood clot in the lung and leg have been reported.

Disclaimer

The foregoing release contains forward-looking statements that can be identified by terminology such as recommended, potentially, recommendation, under way, will, milestone, may, potential, or similar expressions, or by express or implied discussions regarding potential new indications or labeling for everolimus or regarding potential future revenues from everolimus. You should not place undue reliance on these statements. Such forward-looking statements reflect the current views of management regarding future events, and involve known and unknown risks, uncertainties and other factors that may cause actual results with everolimus to be materially different from any future results, performance or achievements expressed or implied by such statements. There can be no guarantee that everolimus will be approved for any additional indications or labeling in any market, or at any particular time. Nor can there be any guarantee that everolimus will achieve any particular levels of revenue in the future. In particular, management's expectations regarding everolimus could be affected by, among other things, unexpected regulatory actions or delays or government regulation generally; unexpected clinical trial results, including unexpected new clinical data and unexpected additional analysis of existing clinical data; the company's ability to obtain or maintain patent or other proprietary intellectual property protection; government, industry and general public pricing pressures; competition in general; the impact that the foregoing factors could have on the values attributed to the Novartis Group's assets and liabilities as recorded in the Group's consolidated balance sheet, and other risks and factors referred to in Novartis AG's current Form 20-F on file with the US Securities and Exchange Commission. Should one or more of these risks or uncertainties materialize, or should underlying assumptions prove incorrect, actual results may vary materially from those anticipated, believed, estimated or expected. Novartis is providing the information in this press release as of this date and does not undertake any obligation to update any forward-looking statements contained in this press release as a result of new information, future events or otherwise.

About Novartis

Novartis provides healthcare solutions that address the evolving needs of patients and societies. Focused solely on healthcare, Novartis offers a diversified portfolio to best meet these needs: innovative medicines, eye care, cost-saving generic pharmaceuticals, consumer health products, preventive vaccines and diagnostic tools. Novartis is the only company with leading positions in these areas. In 2010, the Group's continuing operations achieved net sales of USD 50.6 billion, while approximately USD 9.1 billion (USD 8.1 billion excluding impairment and amortization charges) was invested in R&D throughout the Group. Headquartered in Basel, Switzerland, Novartis Group companies employ approximately 121,000 full-time-equivalent associates and operate in more than 140 countries around the world. For more information, please visit <http://www.novartis.com>.

Novartis is on Twitter. Sign up to follow @Novartis at <http://twitter.com/novartis>.

References

- (1) Yao, et al. Everolimus for Advanced Pancreatic Neuroendocrine Tumors. *New Eng J Med* 2011;364:514-23.
- (2) Halfdanarson, et al. Pancreatic neuroendocrine tumors (PNETs): incidence, prognosis and recent trend toward improved survival. *Annals of Onc* 19: 1727-1733, 2008.
- (3) National Library of Medicine and the National Institutes of Health. Pancreatic islet cell tumor. Available at <http://www.nlm.nih.gov/medlineplus/ency/article/000393.htm>. Accessed April 2011.
- (4) Motzer, et. al. Phase 3 Trial of Everolimus for Metastatic Renal Cell Carcinoma. *Cancer* 2010 Sep; 116(18):4256-4265.
- (5) National Library of Medicine and the National Institutes of Health. Neuroendocrine Tumor. Available at <http://www.cancer.gov/dictionary/?CdrID=44904>. Accessed April 2011.
- (6) Yao, et al. One Hundred Years After Carcinoid: Epidemiology of and Prognostic Factors for Neuroendocrine Tumors in 35,825 Cases in the United States. *Journal of Clinical Oncology*. June 20 2009; vol. 26, number 18.
- (7) American Cancer Society Detailed Guides. Gastrointestinal Carcinoid Tumors. Available at <http://www.cancer.org/acs/groups/cid/documents/webcontent/003102-pdf.pdf>. Accessed April 2011.
- (8) American Cancer Society Detailed Guides. Pancreatic Cancer. Available at <http://www.cancer.org/acs/groups/cid/documents/webcontent/003131-pdf.pdf>. Accessed April 2011.

###

Novartis Media Relations

Central media line : +41 61 324 2200

Eric Althoff

Novartis Global Media Relations
+41 61 324 7999 (direct)
+41 79 593 4202 (mobile)
eric.althoff@novartis.com

Denise Brashear

Novartis Oncology
+1 862 778 7336 (direct)
denise.brashear@novartis.com

e-mail: media.relations@novartis.com

For Novartis multimedia content, please visit www.thenewsmarket.com/Novartis
For questions about the site or required registration, please contact: journalisthelp@thenewsmarket.com.

Novartis Investor Relations

Central phone: +41 61 324 7944
Susanne Schaffert +41 61 324 7944
Pierre-Michel Bringer +41 61 324 1065
Thomas Hungerbuehler +41 61 324 8425
Isabella Zinck +41 61 324 7188

North America:

Richard Jarvis +1 212 830 2433
Jill Pozarek +1 212 830 2445
Edwin Valeriano +1 212 830 2456

e-mail: investor.relations@novartis.com

e-mail: investor.relations@novartis.com

SIGNATURES

Pursuant to the requirements of the Securities Exchange Act of 1934, the registrant has duly caused this report to be signed on its behalf by the undersigned, thereunto duly authorized.

Novartis AG

Date: July 22, 2011

By: /s/ MALCOLM B. CHEETHAM

Name: Malcolm B. Cheetham
Title: Head Group Financial
Reporting and Accounting